



PRELIMINARY  
**TECHNICAL DATA SHEET**

Neville Chemical Company  
2800 Neville Road  
Pittsburgh, PA 15225-1496

Phone: 412-777-4210  
E-Mail: support@nevchem.com  
Internet: www.nevchem.com

# Nevstain 201

## PRODUCT DESCRIPTION

Nevstain 201 is a low molecular weight hybrid liquid resin hybrid polymer derived from hydrocarbon and bio-renewable feedstocks

## APPLICATIONS

- Exterior Wood Stains
- Interior Wood Stains
- Clear or Pigmented Systems
- Other Drying Oil Coating Systems
- High Solid Architectural and General Maintenance Coatings
- Rheology Modifier

## BENEFITS

- VOC Reduction
- Viscosity Reduction
- Excellent Penetration
- Improved Adhesion
- Enhanced Water Resistance to Porous Substrate
- Improved Drying
- Improved Appearance and Aesthetics
- Performance Property Improvements
- Improved Durability and Protection
- Reduced Compound Cost Potential Sustainability
- Enhanced Pigment Wetting and Dispersion
- Versatile and Simple Formulating Tool

## FEATURES

- High Solids / Low Viscosity
- Broad Compatibility with Oil-Based Vehicles
- Fast Oxidative Drying
- Clear, Light Color
- Low Molecular Weight
- Hydrophobic

## PROPERTIES

| Property                         | Test Method | Typical Value     | Specifications |
|----------------------------------|-------------|-------------------|----------------|
| Gardner Color, Straight          | ASTM D1544  | 6.5               | 8 Max          |
| Brookfield Viscosity, cps @ 25°C | ASTM 2196   | 300               | 300 ± 100      |
| Specific Gravity @ 25°C          | ASTM D891   | 0.96              | N/A            |
| Appearance                       | Visual      | Clear/Pale Yellow | N/A            |

**PACKAGING:** Nevstain 201 is shipped in bulk or 400 pound net weight drums.

**TSCA Status:** Neville Chemical Company certifies that all components of this product are on the TSCA Inventory



